



MAYOR & COUNCIL COMMUNICATION

DATE: 9/15/15
CONSENT
ITEM #16

AGENDA ITEM: Fire Station #1 parking lot paving

SUBMITTED BY: Greg Malmquist

THROUGH: Clark Schroeder, Interim City Administrator

REVIEWED BY: Clark Schroeder

SUGGESTED ORDER OF BUSINESS:

- Introduction of Item City Administrator
- Report/Presentation.....City Administrator
- Questions from Council to Staff Mayor Facilitates
- Call for Motion Mayor & City Council
- Discussion..... Mayor & City Council
- Action on Motion..... Mayor Facilitates

POLICY RECOMMENDER: Staff


FISCAL IMPACT: \$10,000

SUMMARY AND ACTION REQUESTED:

The parking lot in front of Fire Station number one is decompensating. There is a trough that retains water and the pavement is beyond repair at this point. Last year the estimate was around \$32,000 to replace this section. SEH, can replace it for \$10,000 this fall because they are working on the street and will be paving soon. The estimate of \$10,000 includes the following.

- Sawcut Bituminous
- Pavement Removal (40 feet x 115 feet)
- Pavement Replacement (3-inch thickness)
- Concrete Curb and Gutter to replace timber bumpers and bit curb
- Parking Space Striping (for area of pavement removal)

RECOMMENDATION: Based on the aforementioned, the staff recommends the City replace the paving at Fire Station one.



I hereby certify that this plan was prepared by me or under my direct supervision and that I am a duly Licensed Professional Engineer under the laws of the State of Minnesota.

Prepared By: Kevin M. Peterson Lic. No. 49057
 Licensed Professional Engineer

Printed Name: KEVIN M. PETERSON Date: 5/12/2015



PHONE: (651)490-2000
 3535 VADNAIS CENTER DR.
 ST. PAUL, MN 55110

