


DECIDUOUS TREES

TREE SIZE	"A" RADIUS FROM TRUNK	"B" RADIUS FROM TRUNK	"C" RADIUS FROM TRUNK
2"	12"	24"	
2.5"	12"	24"	
3"	12"	24"	36"
4" +	12"	24"	36"



CONIFEROUS TREES

TREE SIZE	"A" RADIUS FROM TRUNK	"B" RADIUS FROM TRUNK	"C" RADIUS FROM TRUNK
6'	12"	24"	
8'	12"	24"	
10'	12"	24"	36"
12'+	12"	24"	36"

NOTES:

1. TREE SIZE REFERENCE—AMERICAN STANDARD FOR NURSERY STOCK Z60.1-2014 OR CURRENT.
2. TREE WATERING SHALL OCCUR VIA IRRIGATION STATIONS INDEPENDENT OF OTHER PLANT MATERIAL.
3. QUANTITY OF DRIPLINE RINGS, EMITTER SPACING AND FLOWS ARE DEPENDANT ON TREE CALIPER SIZE. SEE GUIDANCE CHART.
4. DRIPLINE EMITTERS SHALL BE 12" MANUFACTURER-SPACED.
5. DRIPLINE RINGS SHALL BE SPACED NOT LESS THAN 12".
6. TIE DOWN STAKES SHALL BE SPACED NOT GREATER THAN 18" OR AS CONDITIONS DICTATE.
7. ASSEMBLE DRIPLINE IN COMPLIANCE WITH MANUFACTURER RECOMMENDATIONS.
8. WATERING FREQUENCY AND DURATION SHALL BE A FUNCTION OF IRRIGATION SCHEDULING.

NOTE:

REFER TO WRITTEN SPECIFICATION SECTION OF THE CURRENTLY APPROVED PERFORMANCE-BASED PLANTING IRRIGATION SPECIFICATION (32 84 00) FOR ADDITIONAL REQUIREMENTS

11

LANDSCAPE DRIPLINE - TREE RINGS

SCALE 1/2" = 1'-0"